
Shark Identification

The Mackerel sharks




Mackerel shark species encountered in the Hawaii pelagic longline fishery.

Four species of Mackerel sharks (Fam. Lamnidae) that may be encountered in the Hawaii based pelagic longline fishery.

- -Short-fin mako shark
- -Long-fin mako shark
- -Great white shark
- -Salmon shark

FAO Names : En - Shortfin make; Fr - Taupe binu; Sp - Marraja dientuso.




Shortfin Mako Shark

Fleid Merks: Spindle-shaped body, long, scutally conical areas, large bladelike teeth without couplets or serrations, pectoral first rather nercos-sipped and with enterior margins less than head length, large first dorsal fir and minute, pivoting second dorsal and anal fire, strong beets on caudal protection, no secondary keets on caudal base, created in caudal fire, ventral surface of body white.

Diagnestic Features: Body moderately slender. Snext scutely conical; eye moderately large; cusps of first upper arterior teath with incomplete cutting edges; tips of enterior teath strongly reflexed, cusps narrower and more oblique. Pectoral fine moderately long and breed, shorter than head. Colour: underside of arout white.

FAO Names: En - Longfin make; Fr - Petit taupe; Sp - Marreje carite.



Field Marks: Stander, spiralle-shaped body, mederately long conical snoot, large bladelike teeth without latered cusplets or serrations, long gill elits, pectorel finabread-lipped and as long or longer then head, large first donal fin with light free rear tip, minute, pivoting second donal and anal fire, strong keels on causal peduncis, short accordery levels on causal peduncis, short accordery levels on causal base, crescentic causal fin, ventral surface of body dusky on underside of head.

at least partly dusky.


short secondary keets on caudat base, crescentric casolal file, ventral surface of body
dusky on underside of head.

Disgressitic Features: Body slander.

Snout more bluntly conicel, eyes relatively
large; cusps of first upper eviderior teath with complete outling adgas; tips of unterior teeth not reflexed, cusps
breader and loss obligible. Pectoral fine very long and bread tipped, longer than head. Colours underside of anout


Longfin Mako Shark






















A large Shortfin mako on a branchline. Notice the blue color & pointed snout.

Photograph by IL1 664
















Great White Shark *Carchadon carcharias*



Strong single keel

Great White Shark








Salmon Shark











A Comparison of Genera <u>Lamna</u> vs <u>Isurus</u>

